


# = SMALL DETACHABLE UNIT OMITTED  
IN CASE OF FULL DETACHABLE  
UNIT, AND VICE VERSA

# PART B : WIRING DIAGRAM

to dashboard/centre console


Replace with a blade-type fuse of the correct rating.  
**INTERFERENCE SUPPRESSION**  
 Most modern cars have sufficient interference suppression. If you experience interference generated by the car, consult your garage.

**Note :** Do not use improper screw. The maximum usable size is 'M5x6 screw'. Using other screw can result in damage of the unit.




**PART C : CONNECTOR BLOCK**

**4X20W CONNECTOR BLOCK**



- N.C.
- N.C.
- N.C.
- PERMANENT PLUS
- AUTO AERIAL
- PILOT / EXTERNAL ILLUMINATION
- IGNITION PLUS
- POWER GROUND
- + REAR RIGHT
- + FRONT RIGHT
- + FRONT LEFT
- + REAR LEFT


**4X20W CONNECTOR BLOCK**



FOR RC638/12, RC648/00, RC408/00

FOR RC628/00, RC638/10, RC638/80, RC408/10, RC408/12

### 4X20W CONNECTOR BLOCK



FOR RC348/00, RC348/30, RC348/97, RC388/00, RC448/30, RC468/00  
RC338/10, RC438/00, RC438/10, RC438/12